

For Topaz Signature Pads

Wireless Signature Pad

For T-LBK750, T-LBK755, T-LBK766, T-LBK57GC Models & SE Versions

CONNECTION AND COMMUNICATION


The Topaz Wireless Pad enables Topaz -BHSB-R signature pads to be used in an environment with Wi-Fi or Bluetooth connection.

The unit works with existing Topaz software and just requires a simple Topaz Network Port Driver installer and configuration on the PC to complete the connection.

Communication with the Wireless Signature Pad is bi-directional, allowing for interactive text, graphics, and pen-tap hotspots and checkboxes, in addition to signature capture.

Serving as a virtual serial device, the Wireless Signature Pad is also compatible with remote usage (Citrix, Terminal Server, VDI environments, and more).

Data security is handled by the built-ins standard Wi-Fi and Bluetooth protocols.



Connection Wi-Fi Enabled **OR** Bluetooth Enabled

Resolution & Conversion Rate Exceeds industry standards Programmable PPI

Authentication Capability Forensic quality .SIG data capable of examination and authentication with Topaz software



875 Patriot Drive Unit A | Moorpark, CA 93021 | USA P: 805.520.8282 F: 805.520.0867 www.topazsystems.com



Wireless Signature Pads

BATTERY LIFE AND HOUSING INFORMATION

The Topaz Wireless Signature Pad uses a long-life thin Lithium Polymer battery, providing up to eight (8) hours of continuous use with a T-LBK766 or T-LBK57GC signature pad, or sixteen (16) hours of continuous use with a T-LBK750 or T-LBK755 signature pad.

The Wireless Signature Pad comes with a protected power switch in the rear of the unit, as well as built-in power management to allow use over several days without recharging.

WI-FI INFORMATION

2.4-GHz IEEE 802.11b (2Mbps)

Output Power Level (class 1) +18 dBm

Rx Input Sensitivity -85 dB

Authentication/encryption schemes: WPA-PSK (TKIP), or WPA2-PSK (AES128), WEP-128 is not supported

BLUETOOTH INFORMATION

2.4-GHz Bluetooth 2.1 + EDR

Output Power Level (class 1) +18 dBm

Rx Input Sensitivity -85 dB



Wi-Fi Connection Guide www.topazsystems.com/wifiguide

Bluetooth Connection Guide www.topazsystems.com/bluetoothguide

Complete Software Collection www.topazsystems.com/software

Remote Usage Options Citrix, Terminal Server, and VDI environments



© 2024 Topaz Systems, Inc. All rights reserved. View Topaz patents, trademarks, and terms and conditions of sale at www.topazsystems.com/legal. All other trademarks or brand names are the properties of their respective holders. All features and specifications are subject to change without notice. Reproduction or posting of this document without prior Topaz approval is prohibited. 4/24